

Op:fnmatch.h

fnmatch.h - filename-matching types

```
#include <fnmatch.h>
```

Contents [1 DESCRIPTION](#) [2 APPLICATION USAGE](#) [3 RATIONALE](#) [4 FUTURE DIRECTIONS](#) [5 RELATED](#)
[6 COPYRIGHT](#) [7 CATEGORY](#)

DESCRIPTION

The `<fnmatch.h>` header shall define the following constants:

FNM_NOMATCH

The string does not match the specified pattern.

FNM_PATHNAME

Slash in *string* only matches slash in *pattern*.

FNM_PERIOD

Leading period in *string* must be exactly matched by period in *pattern*.

FNM_NOESCAPE

Disable backslash escaping.

FNM_NOSYS

Reserved.

The following shall be declared as a function and may also be defined as a macro. A function prototype shall be provided.

```
int fnmatch(const char *, const char *, int);
```

The following sections are informative.

APPLICATION USAGE

None.

RATIONALE

None.

FUTURE DIRECTIONS

None.

RELATED

The System Interfaces volume of IEEE Std 1003.1-2001, ***fnmatch()***, the Shell and Utilities volume of IEEE Std 1003.1-2001

COPYRIGHT

Portions of this text are reprinted and reproduced in electronic form from IEEE Std 1003.1, 2003 Edition, Standard for Information Technology -- Portable Operating System Interface (POSIX), The Open Group Base Specifications Issue 6, Copyright (C) 2001-2003 by the Institute of Electrical and Electronics Engineers, Inc and The Open Group. In the event of any discrepancy between this version and the original IEEE and The Open Group Standard, the original IEEE and The Open Group Standard is the referee document. The original Standard can be obtained online at <http://www.opengroup.org/unix/online.html> .

IEEE/The Open Group 2003 <fnmatch.h>(P)