

Op:ulimit.h

ulimit.h - ulimit commands

```
#include <ulimit.h>
```

Contents [1 DESCRIPTION](#) [2 APPLICATION USAGE](#) [3 RATIONALE](#) [4 FUTURE DIRECTIONS](#) [5 RELATED](#)
[6 COPYRIGHT](#) [7 CATEGORY](#)

DESCRIPTION

The `<ulimit.h>` header shall define the symbolic constants used by the `ulimit()` function.

Symbolic constants:

UL_GETFSIZE
Get maximum file size.

UL_SETFSIZE
Set maximum file size.

The following shall be declared as a function and may also be defined as a macro. A function prototype shall be provided.

```
long ulimit(int, ...);
```

The following sections are informative.

APPLICATION USAGE

None.

RATIONALE

None.

FUTURE DIRECTIONS

None.

RELATED

The System Interfaces volume of IEEE Std 1003.1-2001, **ulimit()**

COPYRIGHT

Portions of this text are reprinted and reproduced in electronic form from IEEE Std 1003.1, 2003 Edition, Stan-

dard for Information Technology -- Portable Operating System Interface (POSIX), The Open Group Base Specifica-

tions Issue 6, Copyright (C) 2001-2003 by the Institute of Electrical and Electronics Engineers, Inc and The Open

Group. In the event of any discrepancy between this version and the original IEEE and The Open Group Standard,

the original IEEE and The Open Group Standard is the referee document. The original Standard can be obtained

online at <http://www.opengroup.org/unix/online.html> .

IEEE/The Open Group 2003 <ulimit.h>(P)